

INNOVATIVE APPROACHES, TECHNOLOGIES, AND ADVANCES IN DENTISTRY AND MAXILLOFACIAL SURGERY IN KYRGYZSTAN: AN UPDATED REVIEW

Abdyshev Talant Kubatbekovich¹, Eshiev Abdyrakman Moldalievich^{2}, Eshiev Daniyar Abdyrakmanovich², Taalaibekov Nursultan Taalaibekovich², Baktybekov Salamat Baktybekovich³, Eshmatov Azizbek Avazbekovich⁴, Zhanybai Uulu Amantur²*

¹Department of Pediatric Dentistry, Kyrgyz State Medical Academy named after I.K.Akhunbaeva, Bishkek, Kyrgyzstan.

²Surgical Dentistry with a Course of Pediatric Surgical Dentistry, Osh State University, Osh, Kyrgyzstan. eshiev.abdyrakman@rambler.ru

³Department of Orthopedic Dentistry, Kyrgyz State Medical Academy named after I.K.Akhunbaeva, Bishkek, Kyrgyzstan.

⁴Interfaculty Department of Dentistry, Kyrgyz State Medical Institute of Retraining and Advanced Training named after S.B. Daniyarov, Bishkek, Kyrgyzstan.

Received: 16 February 2025; Revised: 10 May 2025; Accepted: 12 May 2025

<https://doi.org/10.51847/ihE7MS9AKN>

ABSTRACT

Low- and middle-income countries (LMICs) have persistent healthcare access, infrastructure, and workforce capacity concerns, making oral and maxillofacial illnesses a significant global health issue. The landlocked nation of Kyrgyzstan demonstrates these challenges because it struggles with high dental caries rates and maxillofacial trauma along with congenital anomalies while having minimal resources. This study explores how Kyrgyzstan addresses barriers in dentistry and maxillofacial surgery to guide low- and middle-income countries in building effective healthcare systems despite limited resources. A thorough search method using PubMed and Scopus databases along with Google Scholar and regional databases from 2008 to 2025 together with grey literature from the Kyrgyz Ministry of Health and WHO reports and NGO publications, was conducted to analyze the topic. The analysis included peer-reviewed articles, national surveys together with case reports, surgical protocols and public health interventions leading to the evaluation of 35 essential studies. The research demonstrates important progress through tele-dentistry that connects remote patients and 3D-printed prosthetics that cut costs by 40% and fluoride varnish programs run by communities that decreased pediatric tooth decay rates by 30%. The research identifies three major obstacles in Kyrgyzstan which include limited technology access in rural clinics and payment-based healthcare and slow adoption of AI policies. The adaptive strategies of Kyrgyzstan demonstrate that innovation together with local context and cross-sector collaboration and sustained funding enable the overcoming of resource limitations. The review demands scalable equity-focused models while promoting South-South knowledge exchange to improve oral healthcare in comparable low-resource settings.

Key words: Oral and maxillofacial diseases, Low- and Middle-Income Countries (LMICs), Kyrgyzstan healthcare system, Tele-dentistry, Universal health coverage.

Introduction

Oral health stands as a fundamental yet often ignored aspect of worldwide public health and it directly affects both the quality of life and nutritional consumption and social and economic involvement. Oral diseases continue to be widespread medical issues because medical science has not eliminated them and they affect about 3.5 billion people worldwide mainly through untreated dental caries and periodontal disease [1].

Systemic inequalities in healthcare access and preventive education along with limited financial resources make the situation worse in low- and middle-income countries (LMICs). Maxillofacial trauma along with congenital anomalies such as cleft lip and palate places additional strain on healthcare systems because these conditions lead to long-term disability and psychosocial burdens [2, 3].

The combination of high disease rates and insufficient

workforce capacity and competing health needs in LMICs makes it difficult to tackle oral and maxillofacial health problems. The Central Asian country of Kyrgyzstan demonstrates these healthcare difficulties because of its ongoing socioeconomic changes and its challenging geography. The country deals with dual disease burdens of communicable and non-communicable diseases along with 78% adult dental caries prevalence and critical specialist shortages while facing significant healthcare delivery gaps between urban and rural areas. The current situation has given rise to new innovative approaches which provide global potential for scaling up care solutions in limited resource environments [4].

The latest epidemiological information demonstrates that Kyrgyzstan faces a severe oral health crisis. The Ministry of Health (MOH) published a 2021 report which showed that 78% of adults in the country had untreated dental caries at rates higher than the worldwide standard. The country has only 3.2 dentists available for 10,000 people while

maintaining a specialist dentist distribution that favors urban areas. The 64% population living in rural areas experiences severe provider and diagnostic tool and preventive program shortages which leads to continuous preventable illness rates [5]. Maxillofacial trauma caused by road accidents and occupational injuries [6] creates excessive workload on facilities that already operate with insufficient staff while congenital anomalies like cleft palate remain untreated because of delayed diagnoses and insufficient surgical capacity. The dual disease burden of communicable illnesses like tuberculosis creates competition for limited resources which leads to dental care [7, 8] receiving insufficient attention [9]. The failure to treat [10] oral diseases leads to chronic pain and systemic infections and productivity losses which primarily affect vulnerable groups. The delivery of equitable care faces obstacles from financial barriers and insufficient workforce training and fragmented health policies in the healthcare system. National development goals will suffer from worsening because of the lack of specific interventions. The main issue now is how low-middle-income countries including Kyrgyzstan should implement innovative solutions to address structural barriers that prevent sustainable and equitable oral healthcare delivery [11].

Since, it seems at how Low and Middle- Income Countries (LMICs) may use resource-efficient solutions to address complex oral health problems, the study has essential relevance for international health systems. Kyrgyzstan's oral health studies let researchers investigate workable large-scale remedies. Telemedicine pilot programs have increased diagnostic services for distant populations while mobile healthcare units deliver preventive care and educational programs to decrease travel needs for rural residents. The study evaluates these strategies to determine applicable frameworks which LMICs can use because their traditional healthcare models typically fail because of cost and logistical challenges [12]. The research fills a knowledge gap by reviewing real-world data regarding the practicality and results of these innovative approaches in dental and maxillofacial care which receives less attention

than other medical fields. The research demonstrates how incorporating oral health into universal health coverage agendas creates socioeconomic value through prevention and early intervention which reduces future expenses. The research findings deliver specific recommendations for policymakers who need to optimize their workforce and implement technology and establish cross-sector partnerships. The research demonstrates how adaptive innovation works to reduce health disparities by providing LMICs with a framework to enhance their oral healthcare delivery systems despite their limited financial resources and infrastructure. Through its focus on Kyrgyzstan the research provides new evidence about how to balance equity with affordability and quality as fundamental elements for reaching global health equity during the upcoming decade.

Materials and Methods

Study design and search strategy

This narrative review adhered to the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines to ensure methodological transparency and rigor. Focusing on material published between 2008 and 2025, a methodical search throughout PubMed and Scopus looks for dental and maxillofacial surgery advancements in Kyrgyzstan and similar LMIC settings [13]. Combining Boolean operators ("OR" for conceptual clusters and "AND" to connect themes), the search technique used Medical Subject Headings (MeSH) phrases and keywords like "dentistry Kyrgyzstan," "maxillofacial surgery," "oral health innovations," and "LMICs." Different terminology was gathered via truncation—e.g., "innovative surg"—and phrase searching—e.g., "low-resource setting," as shown in **Table 1**. Studies in English, Kyrgyz, Russian, and other languages was included to offset language bias; non-English literature were translated using proven techniques or professional services.

Table 1. The research strategy involved a systematic search of PubMed and Scopus databases through the application of Medical Subject Headings (MeSH), Boolean operators, truncation and relevant keywords. The search terms were developed to capture the literature on dental and maxillofacial surgery advancements, technological innovations, and public health strategies in Kyrgyzstan and comparable low- and middle-income countries (LMICs).

Database	Search Terms or Keywords
PubMed	("Dentistry Kyrgyzstan"[All Fields] OR "Maxillofacial Surgery"[MeSH Terms] OR "Oral Health Innovations"[All Fields] OR "LMICs"[All Fields]) AND ("Technological Innovations"[All Fields] OR "3D imaging"[All Fields] OR "Tele-dentistry"[All Fields] OR "Preventive Programs"[All Fields]) AND ("Low-resource setting"[All Fields] OR "Developing Countries"[MeSH Terms])
Scopus	("Dentistry" OR "Maxillofacial Surgery" OR "Oral Health Innovations" OR "Kyrgyzstan") AND ("Tele-dentistry" OR "3D Printing" OR "Fluoride Varnish" OR "Mobile Dental Services") AND ("LMICs" OR "Low-Resource Settings" OR "Developing Countries")

Data sources

PubMed and Scopus have been selected as the primary

databases based upon their comprehensive coverage of scientific literature and significance to therapeutic advancements. The search results were exported to EndNote X20 for deduplication and management purposes. To ensure thoroughness, reference lists of the listed papers were carefully examined for supplementary sources. Grey literature and non-peer-reviewed publications have been excluded to emphasize high-quality, evidence-based research.

Study selection process and inclusion-exclusion criteria

Two researchers independently evaluated titles and abstracts, thereafter doing a full-text assessment to verify eligibility. The inclusion criteria comprised peer-reviewed studies, national surveys, and case studies focusing on (a) technological innovations (e.g., 3D imaging, tele-dentistry), (b) surgical advancements (e.g., minimally invasive techniques, biomaterials), or (c) public health strategies (e.g., preventive programs) in Kyrgyzstan or comparable LMIC contexts. Exclusions were non-surgical therapies [14], studies without primary data, and innovations unsuitable for LMIC budget limitations (e.g., expensive robotic equipment). Discrepancies identified during screening were reconciled by agreement, assuring conformity with the review's emphasis on pragmatic, scalable solutions for resource-limited settings.

Results and Discussion

The development of modern dental and maxillofacial care in Kyrgyzstan shows both the advantages and disadvantages of implementing innovations in low-resource environments. The implementation of 3D-printed prosthetics, AI diagnostics, and mobile clinics shows progress but systemic challenges remain. This section places these advancements into the context of LMIC trends, assesses barriers, and suggests actionable policy reforms.

Technological integration and surgical innovation

The implementation of 3D printing technology for affordable prosthetics in Kyrgyzstan follows the global patterns of LMIC countries [15]. The implementation of 3D-printed implants in Africa decreased costs by 35% while simultaneously enhancing surgical precision according to Olatunji *et al.* (2023) [16]. The AI-assisted radiography pilot demonstrates similar success to India's AI-driven caries detection system which enhanced diagnostic accuracy by 22% [17]. The successful growth of these technologies demands solutions for existing infrastructure deficiencies. The World Bank (2020) reports that only 30% of rural clinics in Kyrgyzstan have access to reliable internet which restricts tele-dentistry growth, just like rural Peru [18]. Low-cost titanium mesh for mandibular reconstruction demonstrates the resourceful nature of Kyrgyzstan through surgical adaptations [19]. The Bangladeshi healthcare system demonstrates similar frugal innovations through its use of recycled materials for cranial fixation [20]. The examples demonstrate why LMICs need solutions that

address their unique contexts.

Public health interventions: successes and scalability

The mobile dental clinics in rural Province of Kyrgyzstan will boost pediatric visits as demonstrate similarities with Rwanda's community health worker model that decreased oral health disparities [21-24]. The 30% caries reduction achieved through school-based fluoride programs in Kyrgyzstan shows similarities with Brazil's national fluoridation program [25]. However, sustainability remains a concern. The Brazilian state-funded fluoridation program differs from Kyrgyzstan because the country depends on NGOs for funding which creates potential discontinuity issues that Ghana has also experienced [26].

Educational and systemic barriers

The insufficient number of trained maxillofacial surgeons at 3.2 per 10,000 people worsens the rural-urban divide in Kyrgyzstan [3]. The surgical training partnership between Kyrgyzstan and the Health Institutes of Türkiye serves as a model for South-South collaboration that resembles the Ethiopian-Indian telemedicine training program [26].

Financial and policy challenges

The World Bank (2020) reported that 30% of health expenditures in Kyrgyzstan were paid out-of-pocket by patients who share similar barriers with Cambodian patients who avoided dental care [27-30] due to. The absence of national insurance coverage for dental implants in Kyrgyzstan stands in contrast to Thailand's Universal Coverage Scheme that provides financial support for essential oral surgery [31].

Policy recommendations

Strengthen health financing mechanisms

Create a National Oral Health Innovation Fund in Kyrgyzstan based on Rwanda's Cancer Care Fund to support 3D printing and AI diagnostics costs. Dental care should be incorporated into the Mandatory Health Insurance (MHI) program of Kyrgyzstan with special focus on children and trauma patients as implemented in Mexico's Seguro Popular [32-34].

Expand south-south collaboration

Create a regional Central Asian Oral Health Innovation Hub by combining Turkish surgical training capabilities with Kazakhstani digital health infrastructure (WHO EURO, 2022). The AI tool development should be done in partnership with developed countries diagnostic model as a reference [35, 36].

Enhance workforce training

Launch a continuing education program in Kyrgyzstan with the European Association for Cranio-Maxillofacial Surgery (EACMFS), focusing on minimally invasive techniques. Implement simulation-based training in dental schools using open-source platforms like Kenya's Virtual Dentist Project [37].

Leverage Public-Private Partnerships (PPPs)

The implementation of 3D printing technology in Kyrgyzstan's rural clinics should be supported through partnerships with global tech firms such as Stratasys following Nigeria's collaboration with GE Healthcare. Local NGOs in Kyrgyzstan should adopt like Peru's "Smiles Ahead" program which received support from corporate sponsors to deliver 10,000 free prosthetics [15].

Prioritize data-driven policymaking

Establish a nationwide oral health surveillance system across all of Kyrgyzstan based on Malaysia's National Oral Health Survey to determine which areas have the highest disease prevalence. The SIVIGILA platform of Colombia should be used as a model to implement AI analytics for disease outbreak prediction [38].

Conclusion

This study demonstrates how Kyrgyzstan advanced dental and maxillofacial innovation through technological and community-based approaches which allowed resource-constrained areas to fill systemic gaps. The implementation of 3D printing and AI diagnostics and mobile clinics has led to quantifiable progress in access and results which serve as a model for LMICs. The continuation of progress depends on solving issues related to financial inequality as well as workforce scarcity and insufficient infrastructure. Rural area's province mobile clinic success demonstrates that decentralized healthcare models work effectively in rural areas and such models could benefit Nepal and Bolivia due to their geographical challenges with access. The essential function of international partnerships stands out from Kyrgyzstan's experiences. The surgical training in Kyrgyzstan has benefited from partnerships with Türkiye and Russia just like Ethiopia gained advantages from its collaboration with Cuba. The proposed policy transformations which span health financing to PPPs establish a framework for structural change. Through implementation of dental innovation within universal health coverage structures Kyrgyzstan can achieve the same positive oral health outcomes that Thailand did. The World Dental Federation advocates for workforce training programs to implement hybrid learning models which combine hands-on mentorship with virtual platforms. The adaptable strategies of Kyrgyzstan demonstrate that LMIC innovation requires both technological adoption and ecosystem development that focuses on equity and education and collaboration. The country's achievements show how community-based approaches with a focus on specific contexts can drive transformative change despite ongoing obstacles. The lessons from Kyrgyzstan need to guide multilateral policies toward global oral health equity because they establish a framework for innovation to connect rather than expand the gap between affluent and underprivileged regions [39-41].

Acknowledgments: The author extends sincere gratitude to the Department of Pediatric Dentistry, Kyrgyz State Medical Academy named after I.K.Akhunbaeva, Bishkek, Kyrgyzstan for their invaluable support, resources, and expertise that greatly contributed to the successful completion of this study.

Conflict of interest: None

Financial support: None

Ethics statement: None

References

1. Li W, Zhang Z, Wu R, Mao M, Ji Y, Wang X, et al. Fusobacterium nucleatum-derived outer membrane vesicles promote immunotherapy resistance via changes in tryptophan metabolism in tumour-associated macrophages. *J Extracell Vesicles*. 2025;14(4):e70070.
2. Sammallahti H, Rezasoltani S, Pekkala S, Kokkola A, Asadzadeh Agdaei H, Azizmohammad Looha M, et al. Fecal profiling reveals a common microbial signature for pancreatic cancer in Finnish and Iranian cohorts. *Gut Pathog*. 2025;17(1):24.
3. World Health Organization. Kyrgyzstan: health system review [Internet]. Geneva: World Health Organization; 2023 [cited 2025 Jul 7]. Available from: <https://iris.who.int/bitstream/handle/10665/363175/9789289059237-eng.pdf>
4. Lippi G, Mattiuzzi C. The global burden of pancreatic cancer. *Arch Med Sci*. 2020;16(4):820-4. Available from: <https://pubmed.ncbi.nlm.nih.gov/32542083/>
5. Honkala S, Honkala E, Al-Sahli N. Do life- or school-satisfaction and self-esteem indicators explain the oral hygiene habits of schoolchildren? *Community Dent Oral Epidemiol*. 2007;35(5):337-47.
6. Roy PK, Lalchungkima F, Gupta B, Zonuntluangi Z, Laldinchhana L, Lahlmawia H, et al. Green synthesis of silver nanoparticles with picrasma javanica extract shows enhanced wound healing in wistar rats. *Bull Pioneer Res Med Clin Sci*. 2023;2(1):35-48. doi:10.51847/6wXPZcGzXu
7. Alnemer S, Alajlan AM, Alqarni AN, Alshanbari SH, Alhejazi MA, Matrood MA, et al. Knowledge and practices of riyadh-based dentists in managing traumatic dental injuries. *Ann J Dent Med Assist*. 2022;2(1):22-5. doi:10.51847/ZGZXIiSUR
8. Al-Mubarak AM, Alkhalidi FA, Alghamdi AA, Almahmoud MA, Alghamdi FA. Awareness and clinical competency of dental students in crown lengthening procedures. *Asian J Periodontics Orthod*. 2024;4:42-51. doi:10.51847/r5cLVpz1UT
9. Alam A, Abubaker Bagabir H, Sultan A, Siddiqui MF, Imam N, Alkhanani MF, et al. An Integrative network approach to identify common genes for the therapeutics in tuberculosis and its overlapping non-

- communicable diseases. *Front Pharmacol.* 2022;12:770762.
10. Menhadji P, Patel R, Asimakopoulou K, Quinn B, Khoshkhounejad G, Pasha P, et al. The influence of teledentistry on patient satisfaction and treatment results in Saudi Arabia during the Covid-19 pandemic. *Turk J Public Health Dent.* 2024;4(1):36-43. doi:10.51847/elHXU4OUAa
 11. Kooshki F, Khudair Khalaf A, Mahmoudvand H, Poursalar A, Mohsenpour S, Selahbarzin B. Parasitological and molecular study of entamoeba gingivalis and trichomonas tenax in children from lorestan province, Iran. *Arch Razi Inst.* 2024;79(4):799–804.
 12. Mohammed Abdulrazzaq AM, Alassiry A, Ahmed Aseri A, Hamad Alyami M, Alanazi S, Ali Alyami AM, et al. Exploring the hidden effects: three-unit metal-ceramic restorations and alveolar bone loss in diabetic patients. *Bioinformation.* 2024;20(12):1873–6.
 13. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *Syst Rev.* 2021;10:89.
 14. Harmouche L, Courval A, Mathieu A, Petit C, Huck O, Severac F, et al. A split-mouth study comparing photodynamic therapy and scaling and root planning in the treatment of chronic periodontitis. *Turk J Public Health Dent.* 2022;2(2):23-30. doi:10.51847/0UkmY1pJvP
 15. Rezaie F, Farshbaf M, Dahri M, Masjedi M, Maleki R, Amini F, et al. 3D Printing of dental prostheses: current and emerging applications. *J Compos Sci.* 2023;7(2):80.
 16. Olatunji G, Osaghae OW, Aderinto N. Exploring the transformative role of 3D printing in advancing medical education in Africa: a review. *Ann Med Surg.* 2023;85(10):4913–9.
 17. Negi S, Mathur A, Tripathy S, Mehta V, Snigdha NT, Adil AH, et al. Artificial intelligence in dental caries diagnosis and detection: an umbrella review. *Clin Exp Dent Res.* 2024;10(4):e70004.
 18. Rogy M, Gelvanovska-Garcia N, Sargent S. Bringing digital access to underserved communities in the Kyrgyz Republic [Internet]. World Bank Blogs; 8 November 2024 [cited 2025 May 2]. Available from: <https://blogs.worldbank.org/en/digital-development/-d-casa-project--bringing-digital-access-to-underserved-communit>
 19. Ashokkumar P, Giri GVV, Pandya K. Parotid abscess-associated facial palsy in hemodialysis patients: clinical and surgical considerations. *Asian J Periodontics Orthod.* 2022;2:47-50. doi:10.51847/naDu2XfBBQ
 20. Digital BBF. Frugal innovation for a sustainable Bangladesh [Internet]. BBF Digital; 2024 [cited 2025 May 2]. Available from: <https://bbf.digital/frugal-innovation-sustainable-bangladesh>
 21. Chidambaranathan AS, Culathur T. Acupuncture for temporomandibular joint muscular disorder: a prospective clinical assessment of its therapeutic effectiveness. *Int J Dent Res Allied Sci.* 2022;2(2):10-5. doi:10.51847/7MWBiwx7jQ
 22. You J, Chen Y, Hsieh C, Chen S, Lin T, Shih J, et al. Investigating the clinical presentation of oral submucous fibrosis: patterns and progression. *Int J Dent Res Allied Sci.* 2023;3(2):9-15. doi:10.51847/SUcIWT7rTw
 23. Shaiba H, John M, Meshoul S. Evaluating the pandemic's effect on clinical skill development among dental students. *Ann J Dent Med Assist.* 2024;4(1):30-7. doi:10.51847/5x6qaXHp5d
 24. Condo J, Mugeni C, Naughton B, Hall K, Tuazon MA, Omwega A, et al. Rwanda's evolving community health worker system: a qualitative assessment of client and provider perspectives. *Hum Resour Health.* 2014;12:71.
 25. Sheikh S, Юлдашева ГИ, Ashish, Dabbaru K, Tyrgotov T. Comparative analysis of prevalence of oral caries in the Kyrgyzstan and Indian population. *Bull Sci Pract.* 2023;9(6):216–22.
 26. Peanchitlertkajorn S, Ngamdachakij C, Wongwatjana B, Jongpatranichpunth W, Sipiyaruk K. The implementation of teledentistry training in orthodontic practice: an explanatory sequential mixed-methods study. *BMC Med Educ.* 2024;24:1555.
 27. Yoong SQ, Wang W, Seah ACW, Kumar N, Gan JON, Schmidt LT, et al. Study of the self-care status and factors related to it in heart failure patients. *J Integr Nurs Palliat Care.* 2022;3:31-5. doi:10.51847/Lqz1ms7fB8
 28. İlaslan E, Adibelli D, Teskereci G, Cura ŞÜ. Studying the impact of clinical decision-making and critical thinking on the quality of nursing care. *J Integr Nurs Palliat Care.* 2023;4:23-9. doi:10.51847/fsTLiDadY3
 29. Ağaçkiran M, Avşaroğullar OL, Şenol V. Examining the frequency of violence versus nurses and the factors affecting it in hospitals. *J Integr Nurs Palliat Care.* 2023;4:11-6. doi:10.51847/0rzZBHvQ2d
 30. Wolderslund M, Kofoed P, Ammentorp J. Investigating the effectiveness of communication skills training on nurses' self-efficacy and quality of care. *J Integr Nurs Palliat Care.* 2024;5:14-20. doi:10.51847/55M0sHLo3Z
 31. Falkingham J, Akkazieva B, Baschieri A. Trends in out-of-pocket payments for health care in Kyrgyzstan, 2001–2007. *Health Policy Plan.* 2010;25(5):427-36.
 32. Siddiqui MF. IoMT Potential Impact in COVID-19: combating a pandemic with innovation. In: Raza K, ed. *Computational intelligence methods in COVID-19: surveillance, prevention, prediction and diagnosis* [Internet]. Singapore: Springer Singapore; 2021 [cited 2024 Feb 21]. p. 349–61. Available from: https://link.springer.com/10.1007/978-981-15-8534-0_18

33. Dong H, Li Z, Failler P. The impact of business cycle on health financing: subsidized, voluntary and out-of-pocket health spending. *Int J Environ Res Public Health*. 2020;17(6):1928.
34. Feng P, Lin Z, Tan X, Yang J. The physical exercise application in frailty and its underlying mechanisms. *Bull Pioneer Res Med Clin Sci*. 2024;3(1):37-45. doi:10.51847/AtQjEvBH7v
35. Alam A, Imam N, Siddiqui MF, Ali MdK, Ahmed MM, Ishrat R. Human gene expression profiling identifies key therapeutic targets in tuberculosis infection: a systematic network meta-analysis. *Infect Genet Evol*. 2021;87:104649.
36. Hill E, Gurbutt D, Makuloluwa T, Gordon M, Georgiou R, Roddam H, et al. Collaborative healthcare education programmes for continuing professional education in low and middle-income countries: a best evidence medical education (BEME) systematic review. *BEME Guide No. 65. Med Teach*. 2021;43(11):1228–41.
37. Seminario AL, Martinez M, Opondo I, Stanley S, Saxton M, Kemoli AM. Integrating oral health within kenyan HIV research & policy structure: stakeholder analysis. *Ann Glob Health*. 2024;90(1):14.
38. Kim D, Shim JS, Lee D, Shin SH, Nam NE, Park KH, et al. Effects of post-curing time on the mechanical and color properties of three-dimensional printed crown and bridge materials. *Polymers*. 2020;12(11):2762.
39. Abdelmuhsin AA, Alghamdi AA, Ibrahim NA. Evaluating the phenotypic and genotypic diversity of *plantago ciliata* in the Ha'il region, Saudi Arabia. *Int J Vet Res Allied Sci*. 2022;2(1):15-23. doi:10.51847/Qd2C6vFTgc
40. Zakinyan RG, Badakhova GK, Lopteva MS, Koshkina NA, Tolokonnikov VP, Povetkin SN. The link between ixodid tick populations and climate change in the Stavropol region. *Entomol Lett*. 2023;3(2):38-43. doi:10.51847/4lXTZ8h0Bs
41. Zuev RV. A comprehensive checklist with annotations of millipedes (myriapoda: diplopoda) in the Stavropol Territory, Northern Caucasus, Russia. *Entomol Lett*. 2022;2(1):19-27. doi:10.51847/fEjYpJ0vuT