IMPLEMENTATION OF TELEDENTISTRY IN POSTGRADUATE DENTAL EDUCATION DURING COVID-19 PANDEMIC IN SAUDI ARABIA

Fatmah AlAssad¹, Nasser Alqhtani², Deema Alshammery^{3*}

¹College of Dentistry, Riyadh Elm University, Saudi Arabia.

²Department of Oral and Maxillofacial Surgery and Diagnostic Sciences, College of Dentistry, Prince Sattam Bin Abdulaziz University, Al-Kharj 19942, Saudi Arabia.

³Department of Preventive Dental Science, College of Dentistry, Riyadh Elm University, Saudi Arabia. deema@riyadh.edu.sa

https://doi.org/10.51847/pMOdC5ilbT

ABSTRACT

Access to dental treatment, is still a big concern in this extraordinary situation owing to the coronavirus pandemic. Therefore, non-conventional approaches such as teledentistry can help to overcome the problem. This study aims to measure the levels of knowledge, awareness, attitudes, and practices of teledentistry among postgraduate dental students during the COVID-19 pandemic in Saudi Arabia. A cross-sectional descriptive survey using an online google form was conducted to assess the knowledge, awareness, attitudes, and practices of teledentistry among 102 (Male=69, Female=63) postgraduate dental students by using a validated self-administered questionnaire. Descriptive statistics of frequency distribution and chi-square test applied to assess the relationship between categorical variables. Data analysis was performed by using IBM-SPSS (Version 25, Armonk; NY: USA).

102 study participants, 79% heard about teledentistry before, and 69% were aware of teledentistry, while 70.5% never used teledentistry before the COVID-19 pandemic. The majority of the respondents want to practice teledentistry shortly. No statistical difference was found regarding the gender and telemedicine items, except for the significantly higher proportion of females than males who believed that teledentistry can be applied in any dentistry (p=0.020). Similarly, no significant difference was found regarding the age and telemedicine items, except that significantly higher respondents in the age group 31-36 had attended a lecture /course about teledentistry (p=0.016). The research participants agreed that COVID-19 would allow dental education on the Internet as the best option (P=0.034). Findings indicate adequate knowledge and awareness about teledentistry among postgraduate dental residents during the COVID-19 pandemic in Saudi Arabia.

Key words: Teledentistry, Telemedicine, Covid-19, Postgraduate, Residents.

Introduction

A new beta coronavirus associated with pneumonia was discovered in December 2019, in Wuhan, China [1-3]. It was named severe acute respiratory syndrome-coronavirus-2 (SARS-CoV-2) [4] in January 2020 and was found to be responsible for causing coronavirus disease-2019 (COVID-19). Because of newness and rapid national and international dissemination, the World Health Organization declared the disease a Public Health Emergency of International Concern on January 30, 2020. COVID-19 was declared a pandemic on March 11, 2020 [5].

To delay the spread of SARS-CoV-2, the Government of Saudi Arabia announced several containment and mitigation measures. These included; suspension of operations in many government agencies, temporary closure of the schools and universities with a switch to virtual learning mode, suspension of markets, and malls. Prohibition of public gatherings in malls, parks, beaches, and resorts. Only takeaway services from the restaurants. Pharmacies and grocery stores served through governmental assigned online delivery

applications and systems. All the inbound and outbound international flights, domestic flights, bus, taxi, and train transportation were suspended. A nationwide 7 p.m.–6 a.m. curfew was imposed all over the country [6].

Due to the lockdown and social distancing measures during the pandemic, all routine non-emergency general and oral healthcare were temporarily suspended, creating a challenge for patient communication and access to healthcare problems, including dental care [6, 7]. Hence it is essential to use non-conventional, more advanced information technology such as telehealth and teledentistry to address the health care access problems while limiting the direct contact between doctor and patient [8, 9].

Teledentistry is a form of telehealth that utilizes a combination of telecommunications and dentistry and involves the interchange of clinical information and relevant imaging over remote distances for consultation and treatment plans [10]. Others defined teledentistry as telecommunications and technology in dental care and dental education interactions over a distance [11, 12].

Teledentistry was first tested in 1996 at Fort Gordon, Georgia, by the US Army [13]. The first report was published in 2001 on implementing an advanced system of weekly videoconferences with orthodontic consultants that guided the general dentists in their treatment plan [14].

Recent studies conducted among dental professionals' understanding and use of teledentistry indicated broad scope, high knowledge, and favorable attitudes towards teledentistry [15, 16]. Others believe that teledentistry is a great innovation and demands forward-thinking; though it would not substitute in-person clinical dental care, it can provide some advantage [17].

Teledentistry is an essential concept in the context of Saudi Vision 2030, as it may significantly contribute to the strategic goals to Improve healthcare service, develop egovernment and Improve the quality of services provided to citizens [8]. A study conducted by Almazrooa *et al.* [18] pointed out that only 50% of the dentists had applied teledentistry to their clinical practice. Only 33% of the dental professionals from Abha heard of teledentistry, and more than half willing to practice teledentistry in the future [19]. Another study conducted among the dental students in Makkah province demonstrated little knowledge of teledentistry, and they were ready to learn and use it [8].

Riyadh Elm University (REU) is a privately owned and funded educational institution based in Riyadh city, Saudi Arabia that provides several academic programs in health sciences through its different colleges. The college of dentistry provides undergraduate, postgraduate, and Saudi Board residency programs. Due to the COVID-19 pandemic and sudden announcement of lockdowns, REU was temporarily shut down all in campus activities and switched to an online educational platform. Previous studies investigations on teledentistry mainly focused on dental professionals, undergraduate dental students, or dental faculties from Saudi Arabia. However, to the best of our understanding, no study was conducted to measure the levels of knowledge, awareness, attitudes, and practices of teledentistry among postgraduate and Saudi board residents in Saudi Arabia.

Hence, this study aimed to assess the current levels of knowledge, awareness, attitudes, and teledentistry practices among postgraduate and Saudi board residents from a private university in Riyadh city, Saudi Arabia.

Materials and Methods

Study design and participants

It was a descriptive cross-sectional survey among the postgraduate and Saudi Board residents from all dentistry specialties studying in a private University in Riyadh, Saudi Arabia.

Inclusion and exclusion criteria

All the residents willing to participate in the study were considered in the inclusion criteria. The residents who did not give consent to participate in the study were excluded.

Ethical approval and informed consent

The study protocol was submitted to the REU research center, and ethical approval was obtained from the institutional review board (FPGRP/2020/496/262/255). Informed consent to participate in the study was obtained from the residents.

Questionnaire design, development, and administration

structured, close-ended, and self-administered questionnaire was prepared based on the previously published literature on teledentistry [20]. The questionnaire was made up of 21 questions in which six questions were related to the demographic information of the study participants (age, gender, dental program, dental specialty, residency level, and main workplace). The remaining fifteen questions evaluated the knowledge, attitudes, and practices of the teledentistry. The questionnaire's face validity was established by sending it to the teledentistry expert academician (DA). Moreover, the questionnaire demonstrated acceptable reliability (Chronbach's alfa=0.852).

An electronic version of the questionnaire was prepared using google forms, and a link was created to submit it to the subjects. An email explaining the study purpose and containing a questionnaire link was sent to 130 residents pursuing postgraduate and Saudi Board programs at REU. The study was conducted from August 17 to October 1. After the end of the study period, the study participants' responses were downloaded in a Microsoft excel sheet and subjected to further analysis.

Statistical analysis

Descriptive statistics of frequency distribution and percentages were calculated for the study participants' characteristics and questionnaire items. The Chi-square test and Fisher's exact tests were applied to assess the relationship between the variables. All the data were analyzed by using IBM-SPSS (Version 25, Armonk; NY: USA). A value of p<0.05 is considered significant for all statistical purposes.

Results and Discussion

Of the 130 residents invited to participate in the study, 102 responded to the online questionnaire. Thus giving a response rate of 78.5%. Demographic data showed that most of the respondents were males (61.8%) than females (38.2%), aged 31-36 years (59.8%), followed by 25-30 years (25.5%) and >36 years (14.7%). Most of the study participants were in the master's (82.4%) program compared to the Saudi board program (17.6%). A large percentage of endodontic (22.5%), followed by orthodontic (15.7%), pedodontic (15.7%), AEGD (15.7%), restorative (12.7%),

periodontics (9.8%) and prosthodontic (7.8%) residents participated in the study. The majority of the residents were in R2 (37.3%). Although respondents belonged to the various regions of Saudi Arabia, based on their primary workplace, they were classified from Riyadh (62.7%) and outside Riyadh (37.3%). The demographic characteristics of the study participants are displayed in (**Table 1**).

Table 1. Characteristics of the study participants

Cl	haracteristics	n	%		
	Female	39	38.2%		
Gender	Male	63	61.8%		
	Total	102	100.0%		
	25-30	26	25.5%		
Age	31-36	61	59.8%		
(Years)	>36	15	14.7%		
	Total	102	100.0%		
	Saudi Board	18	17.6%		
Dental Program	Master	84	82.4%		
Trogram	Total	102	100.0%		
	Orthodontics	16	15.7%		
	Prosthodontics	8	7.8%		
	Pedodontics	16	15.7%		
Dental	Periodontics	10	9.8%		
Specialty	AEGD	16	15.7%		
	Endodontics	23	22.5%		
	Restorative Dentistry	13	12.7%		
	Total	102	100.0%		
	R1	32	31.4%		

	R2	38	37.3%
Residency level R4 R5 Total 1 Riyadh 1	21	20.6%	
•	R4	R3 21 20.6% R4 6 5.9% R5 5 4.9% Total 102 100.0% Riyadh 64 62.7% Outside Riyadh 38 37.3%	5.9%
	R5		4.9%
·	Total	102	100.0%
	Riyadh	64	62.7%
Main Workplace	Outside Riyadh	38	37.3%
Workplace	Total	102	100.0%

The majority of the residents (78.4%) were heard of the term teledentistry, while 68.6% were knowledgeable about teledentistry. When enquired about the use of teledentistry before and during the COVID-19 pandemic, only 29.4% and 49% responded positively. More than half (54.9%) of the study participants had a consultation with a patient using a smartphone and its camera. Less than half (43.1%) attended a lecture or course about teledentistry. About 87.3% of residents perceived teledentistry as using computers, the Internet, and technologies to diagnose and provide advice about treatment over a distance. Nearly less than threefourths (72.5%) of the participants agreed that during COVID-19 dental education over the Internet is the best option. Almost (62.7%) participants viewed that teledentistry could be applied to any branch in dentistry. More than three-fourth (75.5%) of the respondents agreed that teledentistry helps monitor the patient's oral health. While only (36.3%) participants agree that the dental examination is accurate via computers, and more than half (58.8%) of the residents thought that teledentistry makes dental examination easier. Nearly three-fourths (74.5%) of the residents agreed that teledentistry could reduce the costs of dental practices. Nearly 60.8% of residents would trust the working of teledentistry equipment, and more than threefourths (77.5%) would like to practice teledentistry in the future (Table 2).

Table 2. Teledentistry item responses based on gender, age, and dental program of the study participants (n=102)

Questionnaire items/Responses		Gender			Age				Dental Program		
		Female Male		25-30	31-36	>36	ъ.	SBD	Master	D	
		%	%	- P	%	%	%	- P	%	%	Р
Have you heard about teledentistry?	Yes	79.5	77.8	- 0.838 -	65.4	82.0	86.7	- 0.160	88.9	76.2	0.235
	No	20.5	22.2		34.6	18.0	13.3		11.1	23.8	
Do you know what teledentistry is?	Yes	74.4	65.1	- 0.326 -	53.8	72.1	80.0	- 0.143 -	77.8	66.7	0.357
	No	25.6	34.9		46.2	27.9	20.0		22.2	33.3	
Have you ever used a teledentistry system before COVID 19 Pandemic?	Yes	28.2	30.2	- 0.833 -	23.1	29.5	40.0	- 0.519	44.4	26.2	0.123
	No	71.8	69.8		76.9	70.5	60.0	- 0.319	55.6	73.8	
	Yes	53.8	46.0	0.443	34.6	57.4	40.0	0.114	66.7	45.2	0.099

10/ Have you ever used teledentistry during the COVID-19 pandemic?	No	46.2	54.0		65.4	42.6	60.0		33.3	54.8	
Have you ever had a consultation with a patient using a smartphone and its	Yes	64.1	49.2	- 0.142 –	46.2	60.7	46.7	- 0.362 -	72.2	51.2	0.104
camera?	No	35.9	50.8		53.8	39.3	53.3		27.8	48.8	
Have you attended a lecture /course about teledentistry?	Yes	41.0	44.4	- 0.735 -	19.2	52.5	46.7	0.016*	55.6	40.5	0.241
	No	59.0	55.6	0.733	80.8	47.5	53.3		44.4	59.5	0.241
Is teledentistry about the practice of use of computers, the Internet, and technologies to	Yes	87.2	87.3	- 0.986 -	80.8	86.9	100.0	- 0.204	94.4	85.7	0.313
	No	12.8	12.7	0.960	19.2	13.1	0.0	0.204	5.6	14.3	0.313
Do you think that covid-19 makes dental education over the Internet the best option?	Yes	79.5	68.3	- 0.217 -	57.7	82.0	60.0	- 0.034*	83.3	70.2	0.259
	No	20.5	31.7	- 0.217 -		40.0	- 0.034	16.7	29.8	0.239	
15/can teledentistry be applied in any branch of dentistry?	Yes	76.9	54.0	-0.020*-	73.1	60.7	53.3	- 0.393	66.7	61.9	0.705
	No	23.1	46.0	0.020	26.9	39.3	46.7	0.575	33.3	38.1	0.703
Do you think that teledentistry helps to monitor the patient's oral health?	Yes	66.7	81.0	- 0.103 –	65.4	80.3	73.3	- 0.326 -	94.4	71.4	- 0.066
	No	33.3	19.0		34.6	19.7	26.7		5.6	28.6	
Do you think that dental examinations are	Yes	35.9	36.5	- 0.950 -	30.8	41.0	26.7	- 0.466 -	38.9	35.7	- 0.799
accurate via computers	No	64.1	63.5		69.2	59.0	73.3		61.1	64.3	
Do you think that teledentistry makes	Yes	61.5	57.1	- 0.661 -	50.0	63.9	53.3	- 0.432	72.2	56.0	- 0.203
dental examination easier?	No	38.5	42.9	0.001	50.0	36.1	46.7	0.432	27.8	44.0	
Does teledentistry help in reducing costs	Yes	74.4	74.6	- 0.978 -	76.9	72.1	80.0	- 0.779	88.9	71.4	- 0.123
for dental practices?	No	25.6	25.4	0.576	23.1	27.9	20.0	0.779	11.1	28.6	
Do you trust teledentistry equipment to	Yes	61.5	60.3	- 0.902 -	61.5	62.3	53.3	- 0.813	72.2	58.3	0.273
work?	No	38.5	39.7	0.702 -	38.5	37.7	46.7	0.013	27.8	41.7	0.273
in the future, will you practice	Yes	84.6	73.0	- 0.173 -	73.1	83.6	60.0	- 0.121	88.9	75.0	0.201
teledentistry?	No	15.4	27.0	0.173	26.9	16.4	40.0	0.121	11.1	25.0	0.201

No significant difference was found regarding the gender and knowledge of the teledentistry application except that the significantly high percentage of female respondents believed that teledentistry could be applied in any specialty of dentistry (P=0.020). Significantly higher respondents in the age group of 31-36years attended lectures/courses about teledentistry (P=0.016) and had the opinion that during the COVID-19 pandemic, dental education over the Internet was the best option (P=0.034). Similarly, different residency

levels indicated a statistically significant difference across the knowledge of teledentistry (p=0.020), use of teledentistry before (p=0.049), and during (p=0.038) COVID-19 pandemic. Similarly, the residency level was found to differ significantly in consultation with the patient using a smartphone and its camera (p=0.008) and monitoring the patient's oral health (p=0.034). A significantly higher percentage of Riyadh residents are more likely to attend the lecture/course about teledentistry (p=0.026) (**Table 3**).

Table 3. Teledentistry item responses based on residency level and main workplace (n=102)

			I	Residen	cy level		Main Workplace			
Questionnaire items/Responses		R1	R2 R3	R3	R3 R4 & R5	р	Riyadh	Outside Riyadh	P	
		%	%	%	%	-	%	%	•	
	Yes	75.0	73.7	81.0	100.0	0.200	76.6	81.6	0.551	
Have you heard about teledentistry?	No	25.0	26.3	19.0	0.0	0.280	23.4	18.4	0.551	
Do you know what teledentistry is?	Yes	65.6	55.3	81.0	100.0	0.020*	64.1	76.3	0.197	

	No	34.4	44.7	19.0	0.0		35.9	23.7	
Have you ever used a teledentistry system	Yes	31.3	21.1	23.8	63.6	- 0.049* -	34.4	21.1	- 0.153
before COVID 19 Pandemic?	No	68.8	78.9	76.2	36.4	- 0.049 -	65.6	78.9	
Have you ever used teledentistry during the	Yes	40.6	39.5	61.9	81.8	- 0.038* -	53.1	42.1	- 0.282
COVID-19 pandemic?	No	59.4	60.5	38.1	18.2	- 0.038 -	46.9	57.9	
Have you ever had a consultation with a patient	Yes	40.6	55.3	52.4	100.0	0.000*	59.4	47.4	0.220
using a smartphone and its camera?	No	59.4	44.7	47.6	0.0	- 0.008* -	40.6	52.6	- 0.239
Have you attended a lecture /course about	Yes	34.4	44.7	38.1	72.7	0.150	51.6	28.9	- 0.026*
teledentistry?	No	65.6	55.3	61.9	27.3	- 0.159 -	48.4	71.1	- 0.026
Is teledentistry about the practice of use of computers, internet, and technologies to	Yes	93.8	76.3	90.5	100.0	0.060	85.9	89.5	- 0 .605
	No	6.3	23.7	9.5	0.0	- 0.069 -	14.1	10.5	
Do you think that covid-19 makes dental education over the Internet the best option?	Yes	71.9	73.7	66.7	81.8	0.022	75.0	68.4	- 0.472
	No	28.1	26.3	33.3	18.2	0.832	25.0	31.6	
Can teledentistry be applied in any branch of dentistry?	Yes	65.6	57.9	61.9	72.7	- 0.808	67.2	55.3	- 0.228
	No	34.4	42.1	38.1	27.3		32.8	44.7	
Do you think that teledentistry helps to monitor	Yes	78.1	60.5	90.5	90.9	- 0.034*	81.3	65.8	- 0.079
the patients' oral health?	No	21.9	39.5	9.5	9.1		18.8	34.2	
Do you think that dental examinations are	Yes	46.9	39.5	19.0	27.3	0.105	37.5	34.2	- 0.738
accurate via computers	No	53.1	60.5	81.0	72.7	- 0.187 -	62.5	65.8	
Do you think that teledentistry makes dental	Yes	65.6	47.4	66.7	63.6	0.246	64.1	50.0	0.160
examination easier?	No	34.4	52.6	33.3	36.4	- 0.346 -	35.9	50.0	- 0.163
Does teledentistry help in reducing costs for	Yes	75.0	68.4	71.4	100.0	0.202	79.7	65.8	
dental practices?	No	25.0	31.6	28.6	0.0	- 0.202 -	20.3	34.2	- 0.119
B	Yes	59.4	60.5	57.1	72.7	0.202	65.6	52.6	
Do you trust teledentistry equipment to work?	No	40.6	39.5	42.9	27.3	- 0.202 -	34.4	47.4	- 0.194
	Yes	75.0	78.9	71.4	90.9	0.620	81.3	71.1	0.222
In the future, will you practice teledentistry?						- 0.629 -			- 0.233

Access to dental care is a problem in many areas worldwide due to a lack of dental and medical facilities, low population density, remoteness from large cities, and other factors. It affects the volume and quality of dental care provided; for these reasons, teledentistry is provided to help the patients in these isolated areas and prevent direct contact between the dentist and the patient in Pandemics. It also helps with the cross-communication between other specialists, which helps in better treatment planning [15]. Therefore teledentistry is now widely accepted in dental education, public awareness, and research activities in many dental disciplines [10]. To our knowledge, this is the first study that investigated teledentistry from a postgraduate resident's perspective from a private Saudi University.

The present study indicated adequate knowledge and awareness about teledentistry among the postgraduate residents from a private university in Saudi Arabia. Almost 78.4 % of the residents heard about teledentistry, and 68.6%

were aware of teledentistry. A finding similar to the study reported in India, wherein 74.4% of postgraduate students knew about teledentistry [20]. However, our study finding is higher than the previously reported studies among dental students and interns from different Saudi Arabian regions [8, 19]. Most of the resident's workplace was Riyadh city, where information about technological advancements is readily available compared to those working outside Riyadh. Another explanation could be that the younger residents included in the study are more familiar with dental technological progress [18].

When compared teledentistry usage between before and during the COVID-19 pandemic, it increased from 29.4% to 49%. It could be attributed to the complete online switchover of postgraduate education during the lockdown due to the COVID-19 pandemic. It has been reported that the teledentistry at least can supplement the existing conceded dental system during the current pandemic [21].

The most popular teledentistry form is teleconsultation, where patients request telecommunications advice from dental specialists [22]. It was useful for consulting mentally and psychologically disabled, and patients from aged care institutions and jails [23, 24]. In the present COVID-19 pandemic, patients may be assisted to continue their therapy during quarantine and lockout by teleconsultations [21]. It is interesting to note that more than half of the respondents in our study performed dental consultations using smartphones and the camera. This finding is similar to the study reported by Aboalshamat [8], in which 56.05% of dental professionals did dental consultations with their patients using a smartphone and a camera. The previous study conducted among dental students in Saudi Arabia has shown an information gap regarding the potential benefits of the implementation of teledentistry in improving dental services. This was reflected by the fact that only 17.52% of students had ever attended a lecture about teledentistry. While in our study, 43.1% of residents had attended lectures or courses about teledentistry. It may be attributed to postgraduate dental students participating in teledentistry as part of their digital transition and increased smartphone and social media usage in their personal and professional lives.

However, Aboalshamat *et al.* [25] pointed out a few concerns related to the lack of suitable smartphone usage protocols regarding patient privacy. Therefore, it may be necessary to increase the number of teledentistry training courses with adequate professional contact and privacy criteria. Compared to Government College, students from private dental colleges were found to make substantially higher usage of smartphones for patient appointments and were also more willing to join teledentistry workshops. It reflects the variation in educational material between these college's styles when it comes to modern trends.

In the aftermath of the COVID-19 pandemic, face-to-face classroom education events for undergraduate and postgraduate dentistry students were almost disrupted worldwide. Educators are struggling to respond to social distances. The quarantine and social isolation period are uncertain, and specific simulated solutions are being utilized to begin teaching practices [26]. In our study, 72.5% of the respondents claimed that COVID-19 made dental education the best choice via the Internet. This finding is higher than that reported by an Indian study [27].

Almost 62.7% of residents perceived that teledentistry could be applied in any dentistry specialty, while 63.7% questioned the accuracy of dental examination via computers, with 58.8% of residents agreed that teledentistry makes dental examination easy. On the contrary, an acceptable level of accuracy in diagnosing dental caries via teledentistry has been reported by Estai *et al.* [28].

The financial expense is another consideration associated with the regulation of teledentistry. In a recent study by Alsharif and Al-harbi [29], half of the sampled participants

accepted that teledentistry could theoretically minimize costs, and two-thirds suggested that it might mitigate excessive costs incurred while traveling to hospitals. In line with this report, about three-quarters of the respondents think that teledentistry can reduce dental practice costs. On the other hand, 60% of Indian dentists perceived that teledentistry could not reduce the cost of care [27].

Almost 60.8% of the residents in our study trusted the teledentistry equipment, and 77.5% agreed to practice teledentistry in the future. This finding is in line with previously reported studies [8, 20].

The present study did not discuss non-technological, organizational, or political challenges related to teledentistry. A convenient sample of residents from a single private university may have limited external validity of the study. We recommend further studies on teledentistry by considering a nationally representative sample of dental residents from both government and private universities in KSA.

Conclusion

This study indicates adequate knowledge and awareness about teledentistry among the postgraduate dental students in Saudi Arabia. However, there is a need to further increase awareness among postgraduate dental residents in Saudi Arabia on teledentistry as the future lies in technological advancement. Tele-dentistry can mark the beginning of a new era in dentistry. This can be achieved by conducting continuous dental education programs and awareness campaigns/programs that help various levels.

Acknowledgment: We would like to thank the Research Centre of Riyadh Elm University for its assistance.

Conflict of Interest: None.

Financial support: None

Ethics statement: The study was entirely based on survey data and was approved by the Research Centre of Riyadh Elm University (FPGRP/2020/496/262/255). Informed consent was obtained from all participants included in the study.

References

- 1. Zhu N, Zhang D, Wang W, Li X, Yang B, Song J, *et al.* A novel coronavirus from patients with pneumonia in China, 2019. N Engl J Med. 2020;382:727-33.
- Albureikan MO. COVID-19 Outbreak in Terms of Viral Transmission and Disease Biocontrol by Healthy Microbiome. Int J Pharm Phytopharmacol Res. 2020;10(3):139-46.
- 3. Siyal FJ, Shaikh ZA, Ahmed SZ, Shahid MA, Agha F, Khoso M, *et al*. Anxiety among COVID-19 Physicians

- during the Pandemic in the Health Care Center of the Rural Region. Arch Pharma Pract. 2020;11(4):91-3.
- 4. Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, *et al.* Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. Lancet. 2020;395(10223):497-506.
- 5. World Health Organization. WHO. WHO Director-General's opening remarks at the media briefing on COVID 19. 11 March 2020, [Internet]. Genebra: World Health Organization; 2020 [cited 2020 Jun 10].
- Barry M, Ghonem L, Alsharidi A, Alanazi A, Alotaibi NH, Al-Shahrani FS, et al. Coronavirus Disease-2019 Pandemic in the Kingdom of Saudi Arabia: Mitigation Measures and Hospital Preparedness. J Nat Sci Med. 2020;3(3):155-8.
- Tanne JH, Hayasaki E, Zastrow M, Pulla P, Smith P, Rada AG. Covid-19: how doctors and healthcare systems are tackling coronavirus worldwide. BMJ. 2020;368:m1090. doi:10.1136/bmj.m1090
- 8. Aboalshamat KT. Awareness of, beliefs about, practices of, and barriers to teledentistry among dental students and the implications for Saudi Arabia Vision 2030 and coronavirus pandemic. J Int Soc Prev Community Dent. 2020;10(4):431.
- Greenhalgh T, Wherton J, Shaw S, Morrison C. Video consultations for covid-19. BMJ. 2020;368:m998. doi:10.1136/bmj.m998
- Jampani ND, Nutalapati R, Dontula BSK, Boyapati R. Applications of teledentistry: A literature review and update. J Int Soc Prev Community Dent. 2011;1(2):37-44.
- Chen J-W, Hobdell MH, Dunn K, Johnson KA, Zhang J. Teledentistry and its use in dental education. J Am Dent Assoc. 2003;134(3):342-6.
- Robinson DF, Savage GT, Campbell KS. Organizational learning, diffusion of innovation, and international collaboration in telemedicine. Health Care Manage Rev. 2003;28(1):68-78.
- 13. Rocca MA, Kudryk VL, Pajak JC, Morris T. The evolution of a teledentistry system within the Department of Defense. Proc AMIA Symp. 1999;1999:921-4.
- 14. Cook J, Mullings C, Vowles R, Ireland R, Stephens C. Online orthodontic advice: a protocol for a pilot teledentistry system. J Telemed Telecare. 2001;7(6):324-33.
- 15. Suetenkov DE, Popkova OV, Kiselev AR. Possibilities and limitations of teledentistry. Rev Cuba Estomatol. 2020;57(1):e2968.
- Weintraub JA, Edwards LR, Brame JL, Lampris L, White BA, Adatorwovor R, et al. Teledentistry Knowledge and Attitudes: Perspectives on the role of dental hygienists. J Dent Hyg JDH. 2020;94(4):13-21.

- 17. Niazi MIK, Ghafoor S. Teledentistry and COVID-19; Today and Tomorrow. Biomedica. 2020;36:81-3.
- 18. Almazrooa SA, Mansour GA, Alhamed SA, Ali SA, Akeel SK, Alhindi NA, *et al*. The application of teledentistry for Saudi patients' care: A national survey study. J Dent Sci. 2020;16(1):280-6.
- 19. Alawwad SM, Zakirulla M, Alasmari NM, MohammedAlamr M, Alshahrani RA. Perceptions of Teledentistry among Dental Professionals in Saudi Arabia. Ann Trop Med Health. 2019;22:11-20.
- 20. Pradhan D, Verma P, Sharma L, Khaitan T. Knowledge, awareness, and attitude regarding teledentistry among postgraduate dental students of Kanpur city, India: A questionnaire study. J Educ Health Promot. 2019;8:104. doi:10.4103/jehp.jehp_363_18
- 21. Ghai S. Teledentistry during COVID-19 pandemic. Diabetes Metab Syndr. 2020;14(5):933-5. doi:10.1016/j.dsx.2020.06.029
- 22. Marino R, Ghanim A. Teledentistry: a systematic review of the literature. J Telemed Telecare. 2013;19(4):179-83.
- 23. Tynan A, Deeth L, McKenzie D. An integrated oral health program for rural residential aged care facilities: a mixed-methods comparative study. BMC Health Serv Res. 2018;18(1):515.
- 24. Spivack E. Teledentistry: remote observation of patients with special needs. Gen Dent. 2020;68(3):66-70.
- 25. Aboalshamat K, Alkiyadi S, Alsaleh S, Reda R, Alkhaldi S, Badeeb A, et al. Attitudes toward Social Media among Practicing Dentists and Dental Students in Clinical Years in Saudi Arabia. Open Dent J. 2019;13(1):143-9.
- Machado RA, Bonan PRF, Perez DE da C, Martelli Júnior H. COVID-19 pandemic and the impact on dental education: discussing current and future perspectives. Braz Oral Res. 2020;34:e083. doi:10.1590/1807-3107bor-2020.vol34.0083
- 27. Nagarajappa R, Aapaliya P, Sharda AJ, Asawa K, Tak M, Pujara P, *et al.* Teledentistry: Knowledge and attitudes among dentists in Udaipur, India. Oral Health Dent Manag. 2013;12(502):2.
- 28. Estai M, Kanagasingam Y, Huang B, Checker H, Steele L, Kruger E, *et al*. The efficacy of remote screening for dental caries by mid-level dental providers using a mobile teledentistry model. Community Dent Oral Epidemiol. 2016;44(5):435-41.
- Alsharif AT, Al-harbi SS. Dentists' Self-perception on Teledentistry: The Changing Landscape Driven by Technological Booming in the 21Century. Open Dent J. 2020;14(1):291-7. doi:10.2174/1874210602014010291